plumbing, spray nozzles or strainers. solution remaining in the tank, spray lines, spray boom especially overnight, with FAST DRAW 100 EC spray, (

## Preparation of the Cleaning Solution:

at a rate of 100 g for every 100 L of clean water used. detergent eg "OMO" or "SPREE", "SURF" or Absolute Boomer Prepare a spray equipment cleaning solution by mixing alkaline

FAST DRAW 100 EC is compatible with glyphosate, REBEL Compatibility

# (2,4-D acid) or 2,4-D ester or amine.

Primary Industries Department or a Indigo Specialty Products local supplier, consultant, local Department of Agriculture, treatments that can be used should be obtained from your resistant weeds. Advice as to strategies and alternative that may result from the failure of this product to control Specialty Products Pty Ltd accepts no liability for any losses of resistant weeds is difficult to detect prior to use, Indigo product or other Group 14 herbicides. Since the occurrence repeatedly. These resistant weeds will not be controlled by this dominate the weed population if these herbicides are used any weed population. The resistant individuals can eventually herbicides may exist through normal genetic variability in weed biotypes resistant to the product and other Group 14

must be laundered after each day's use.

**RE-ENTRY** 

representative.

(or equivalent clothing) and chemical resistant gloves. Clothing

unless wearing cotton overalls buttoned to the neck and wrist

DO NOT allow entry into treated areas until the spray has dried,

approved waste management facility. If an approved waste break, crush or puncture and deliver empty packaging to an to recycler or designated collection point. If not recycling, on-site. If recycling, replace cap and return clean containers rinsings to spray tank. Do not dispose of undiluted chemicals in direct sunlight. Triple rinse containers before disposal. Add area, as cool as possible. Do not store for prolonged periods Store in the closed, original container in a dry, well-ventilated

## **JASO92ID DNA 3DA90T2**

watercourses with this product or used containers.

## Very toxic to aquatic life. DO NOT contaminate wetlands or

ENVIRONMENT

PROTECTION OF WILDLIFE, FISH, CRUSTRCEAUS AND

susceptible plants, crops, cropping lands or pastures. equipment, that may cause spray to drift onto nearby

DO NOT apply under weather conditions, or from spraying

When opening the container and preparing spray wear cotton throat. Avoid contact with eyes and skin. Do not inhale vapour. Will irritate the eyes and skin. May irritate the nose and contact with their roots. **SNOITCERTY DIRECTIONS** 

locations where the chemical may be washed or moved into or other plants or on areas where their roots may exterio or in

immediately with water.

766. If swallowed do not induce vomiting. If in eyes, wash out Centre. Phone Australia 13 11 26, New Zealand 0800 764 If poisoning occurs, contact a doctor or Poisons Information **DIA TZRIA** 

day's use, wash gloves, goggles, respirator and if rubber wash

area with soap and water. Wash hands after use. After each

face-piece respirator. If product on skin, immediately wash

elbow-length chemical resistant gloves, goggles and half

overalls buttoned to the neck and wrist and a washable hat,

with detergent and water, and contaminated clothing.

Specific definitions for terms used in this section of the label can be found at www.apvma.gov.au/spraydrift

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application. DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one

> APPROPRIATE LEGISLATION. WITHHOLDING PERIODS:

For use with Glyphosate: DO NOT GRAZE OR CUT FOR STOCK FEED FOR 6 WEEKS AFTER APPLICATION.

REFER TO THE WITHHOLDING PERIOD OF PRODUCTS MIXED WITH FAST DRAW 100 EC.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THE LABEL UNLESS AUTHORISED UNDER

CROP	WEEDS CONTROLLED	RATE/ha	CRITICAL COMMENTS
weed control in Commercial, Industrial and public service areas, around Agricultural buildings and yards.	Annual Ryegrass ( <i>Lolium rigidum</i> ), Barley Grass ( <i>Hordium leporium</i> ), Brome Grass ( <i>Bromus diandrus</i> ), Canola ( <i>Brassica napus</i> ), Capeweed ( <i>Arctotheca calendula</i> ), Common Storksbill (max. 4 leaves) ( <i>Erodium cicutarium</i> ), Deadnettle ( <i>Lamium amplexicaule</i> ), Dock (seedling) ( <i>Rumex crispus</i> ), Doublegee/Three Cornered Jack/Spiny Emex ( <i>Emex australis</i> ), Fleabane ( <i>Conzya</i> sp.) suppression, Goosefoot ( <i>Chenopodium pumilio</i> ), Lupins ( <i>Lupinis</i> spp.), Marshmallow ( <i>Malva parviflora</i> ), Medic ( <i>Medicago</i> spp.), Paterson's Curse ( <i>Echium plantagenium</i> ), Prickly paddy melon ( <i>Cucumis myriocarpus</i> ), Sorrel ( <i>Rumex acetosella</i> ), Sowthistle ( <i>Sonchus oleraceus</i> ), Stink Grass ( <i>Eragrostis cilianensis</i> ), Sub Clover ( <i>Trifolium</i> spp.), Turnip Weed ( <i>Rapistrum rugosum</i> ), Wild Oats ( <i>Avena fatua</i> ), Volunteer Cereals, Volunteer canola (conventional variety) ( <i>Brassica napus</i> ), Volunteer narrow-leafed lupin ( <i>Lupinus angustifolius</i> ), Wild Radish ( <i>Raphanus raphanistrum</i> ), Wird Turnip ( <i>Brassica tournforti</i> ).	100 mL plus registered rate of glyphosate	Treat only actively growing weeds not under stress from low moisture, frost, cold, disease or waterlogging. If heavy grazing occurred allow regrowth before spraying. Addition of FAST DRAW 100 EC to glyphosate will increase the speed at which treated broadleaved weeds in general develop visible symptoms (compared to results achieved with knockdown herbicides applied alone) and may improve final control of broadleaved weeds including certain hard-to-kill weeds, marshmallow in particular. Where broadleaved weeds are a problem such as heliotrope and paddy melon the addition of Rebel (440 g/L 2,4-D Acid) or other formulations of 2,4-D may assist control. Apply only as a tank mix with recommended rates of knockdown herbicides. Refer to the appropriate label for weed sizes and follow all label directions. Addition of Hasten at 0.5% may be beneficial when applying FAST DRAW 100 EC with a glyphosate herbicide. The addition of FAST DRAW 100 EC to glyphosate significantly increases efficacy on fleabane
	Refer also to the product label for the knockdown herbicide used. If one of the above weeds is the dominant weed, and there is no specific rate for it in the knockdown herbicide's label, consult the label's generic annual weed rate-range. Select from within this range to suit the weed-stage, weed-density, conditions (etc) of your situation		

# ast Draw 100 EC

DO NOT apply if heavy rains or storms are forecast within 48 hours. DO NOT irrigate to the point of runoff for at least 48 hours after application.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT make more than one application per season.

## **HERBICIDE**

## **DIRECTIONS FOR USE:**

DO NOT apply by boomspray. DO NOT apply by aircraft.

SPRAY DRIFT RESTRAINTS

is away from these sensitive areas.

to two hours after sunrise.

**RESTRAINTS:** 

containers or product. State or Territory government regulation. Do not burn empty vegetation and tree roots, in compliance with relevant Local, and set up for this purpose clear of waterways, desirable 500 mm below the surface in a disposal pit specifically marked management facility is not available bury the empty packaging

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for ProForce Fast Draw 100 EC Herbicide is available from Indigo Specialty Products Pty Ltd on request.

CONDITIONS OF SALE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than nonexcludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under offlabel permits not endorsed by Indigo Specialty Products Pty Ltd or under abnormal conditions. Indigo Specialty Products Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.

indido

Indigo Specialty Products ABN 15 631 459 660 3/49 Donaldson Road, Rocklea QLD 4106 Ph: 0402 735 887

APVMA Approval No.: 85520/140939

public as spec Π industrial and p wn herbicides a mercial, knockdo CONSTITUENT: 100 g/L BUTAFENACIL ITS: 660.6 g/L LIQUID HYDROCARBONS 98.6 g/L N-METHYL-2-PYRROLIDONI with weeds in t s broadleaved w yards in a tank I

ERBICIDE

CHILDREN NS BEFORE OPENING OR USING

AUTION

**STNAJ9** PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET

listed on other products used in the tank mix.

DUGHLY BEFORE OPENIN

BEAD .

OF THE LABEL ATTACHED TO THE CONTAINER.

IS PART

ontrol of various I buildings and y

HERBICIDE

14

GROUP

Rocklea QLD 4106

Pood,

**Indigo Specialty F** ABN 15 631 459 66 3/49 Donaldson Ro

0

D

ducts Pty Ltd

DO NOT apply or drain or flush equipment on or near by trees

The user should also observe any re-entry statements

FAST DRAW 100 EC is a member GROUP 14 HERBICIDE of the pyrimidindiones groups of

the product is a Group 14 herbicide. Some naturally occurring oxidase mode of action. For weed resistance management, herbicides. The product has the inhibitors of protoporphyrinogen

**GENERAL INSTRUCTIONS** 

FAST DRAW 100 EC is an emulsifiable concentrate and is to be mixed with water and applied as per the labelled Directions for Use. FAST DRAW 100 EC is a post-emergence herbicide to be added to knockdown herbicides to improve the control of certain broadleaf weeds including marshmallow to assist in weed control in commercial, industrial and public service areas, around agricultural buildings, yards and other farm situations.

FAST DRAW 100 EC is a fast acting contact herbicide and aids in control of weeds through a process of membrane disruption. The foliar uptake of FAST DRAW 100 EC is rapid and plant desiccation can occur within 4 days of application. Application of FAST DRAW 100 EC should target small actively growing weeds. Subsequent germinations will not be controlled.

FAST DRAW 100 EC is rapidly absorbed through the foliage of plants. Within a few hours following application, the foliage of susceptible weeds show signs of desiccation, and in subsequent days necrosis and death of the plant.

## Mixing

FAST DRAW 100 EC is an emulsifiable concentrate herbicide which mixes readily with water.

Add half the required volume of water to spray tank and start agitation. Add any partner WG herbicide next if it should be added before an EC or knockdown herbicide. Add the measured amount of FAST DRAW 100 EC next, followed by the knockdown herbicide (if not previously added).Add balance of water to tank and add any adjuvant or additive if recommended for use with the knockdown herbicide. Maintain good agitation at all times until spraying is completed. DO NOT store spray mixture overnight.


#### Application

Spray equipment should be carefully calibrated before use. Complete coverage of weed seedling is required for maximum knockdown effect. A spray volume of 50 to 100 L/ha is recommended.

### **Cleaning Equipment After Application**

Thoroughly clean the sprayer using the following procedure when you have finished spraying highly active materials such as butafenacil products. In addition to the following procedure, ensure proper equipment clean-out for any other products mixed with FAST DRAW 100 EC as specified on the other product labels.

## **DNINRAW SOBEW TNATRISER**



DO NOT store the sprayer for any extended period of the time.

Mix only as much herbicide spray solution as needed at equipment is cleaned immediately tollowing each use. More complete cleaning can be achieved if the spray :TNATA09MI

# CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

# Fast Draw 100 EC

# HERBICIDE

ACTIVE CONSTITUENT: 100 g/L BUTAFENACIL SOLVENTS: 660.6 g/L LIQUID HYDROCARBONS 98.6 g/L N-METHYL-2-PYRROLIDONE

# GROUP **14** HERBICIDE

For the improvement of the control of various broadleaved weeds in commercial, industrial and public service areas and agricultural buildings and yards in a tank mixture with knockdown herbicides as specified in the Directions for use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING THIS PRODUCT



Indigo Specialty Products Pty Ltd ABN 15 631 459 660 3/49 Donaldson Road, Rocklea QLD 4106 Ph: 0402 735 887

Contents

# Fast Draw 100 EC

#### STORAGE AND DISPOSAL

Store in the closed, original container in a dry, well-ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulation. Do not burn empty containers or product.

#### SAFETY DIRECTIONS

Will irritate the eyes and skin. May irritate the nose and throat. Avoid contact with eyes and skin. Do not inhale vapour. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length chemical resistant gloves, goggles and half face-piece respirator. If product on skin, immediately wash area with soap and water. Wash hands after use. After each day's use, wash gloves, goggles, respirator and if rubber wash with detergent and water, and contaminated clothing.

#### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If swallowed do not induce vomiting. If in eyes, wash out immediately with water.

#### SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for ProForce Fast Draw 100 EC Herbicide is available from Indigo Specialty Products Pty Ltd on request.

#### **CONDITIONS OF SALE**

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Indigo Specialty Products Pty Ltd or under abnormal conditions. Indigo Specialty Products Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.





10L

Batch No.

Date of Manufacture

APVMA Approval No.: 85520/140939

IN A TRANSPORT

EMERGENCY