

according to WHS Regulations

Printing date 15.06.2024

Revision: 15.06.2024

Page 1/6

1 Identification

Product Name: ProForce Recruit 200 SC Insecticide

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural insecticide

Details of Manufacturer or Importer: Indigo Specialty Products Pty Ltd 6/163 - 173 McEvoy Street, Alexandria, NSW, 2015.

Phone Number: +61 402 735 887

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Aquatic Acute 2 H401 Toxic to aquatic life.

Signal Word Void

Hazard Statements

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
CAS: 138261-41-3	Imidacloprid (ISO) Aquatic Acute 1, H400; Aquatic Chronic 1, H410; () Acute Toxicity (Oral) 4, H302	20%	
CAS: 56-81-5	Glycerol	11.5%	

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

according to WHS Regulations

Printing date 15.06.2024

Product Name: ProForce Recruit 200 SC Insecticide

(Contd. of page 1)

Revision: 15.06.2024

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause mild irritation. Skin Contact: May cause mild skin irritation. Eye Contact: May cause eye irritation and redness. Ingestion: May cause irritation to the mouth and throat.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride, other chlorine compounds, smoke and water.

This product is not flammable, but may burn or decompose in a fire.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools. Wash spill areas with water, preventing runoff from entering drains.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight.

Page 3/6

Safety Data Sheet

according to WHS Regulations

Printing date 15.06.2024

Revision: 15.06.2024

Product Name: ProForce Recruit 200 SC Insecticide

(Contd. of page 2)

8 Exposure Controls and Personal Protection

Exposure Standards:

CAS: 56-81-5 Glycerol NES TWA: 10 mg/m³

WES TWA: 10 mg/m³

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection: Respiratory protection is not required under normal use conditions.

Skin Protection:

PVC or rubber gloves are recommended. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	Liquid
Colour:	White
Odour:	Mild
Odour Threshold:	No information available
pH-Value at 20 °C:	6.5 - 8
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	No information available
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure:	No information available
Relative Density at 20 °C:	1.10
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Completely soluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	Viscous

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

according to WHS Regulations

Printing date 15.06.2024

Product Name: ProForce Recruit 200 SC Insecticide

(Contd. of page 3)

Revision: 15.06.2024

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Direct sunlight.

Incompatible Materials: No further relevant information available.

Hazardous Decomposition Products:

Oxides of carbon and nitrogen, other nitrogen compounds, hydrogen cyanide, hydrogen chloride, other chlorine compounds, smoke and water.

11 Toxicological Information

Toxicity:

	LD /LC Values Relevant for Classification:			
CAS: 138261-41-3 Imidacloprid (ISO)				
Oral		131 mg/kg (mice)		
		450 mg/kg (rat)		
Dermal	LD	>5,000 mg/kg (rat)		
CAS: 56-81-5 Glycerol				
Oral LD . 12,600 mg/kg (rat)				

Acute Health Effects

Inhalation: May cause mild irritation. Skin: May cause mild skin irritation.

Eve: May cause eve irritation and redness.

Ingestion: May cause irritation to the mouth and throat.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure: Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for imidacloprid for a human is 0.06 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOAEL of 6 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', 2020).

(Contd. on page 5)

Page 4/6

according to WHS Regulations

Printing date 15.06.2024

Revision: 15.06.2024

Product Name: ProForce Recruit 200 SC Insecticide

(Contd. of page 4)

12 Ecological Information

Ecotoxicity:

Toxic to bees. Toxic to birds. LD50 152 mg/kg (Bobwhite quail) LD50 31 mg/kg (Japanese quail)

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

CAS: 138261-41-3 Imidacloprid (ISO)

EC□□/48 h 85 mg/l (daphnia) LC□□/96 h 211-280 mg/l (fish)

Persistence and Degradability: Half-life in soil is 48 - 190 days depending on soil type.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available. **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration: Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number ADG, IMDG, IATA	UN3082		
Proper Shipping Name ADG, IATA IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid (ISO)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid (ISO)), MARINE		
	POLLUTANT		
Dangerous Goods Class ADG Class:	9 Miscellaneous dangerous substances and articles.		
Packing Group: ADG, IMDG, IATA	111		
Marine pollutant:	Yes Symbol (fish and tree)		
EMS Number:	F-A,S-F		
Hazchem Code:	•3Z		
Special Provisions:	274, 331, 335, 375, AU01		
Limited Quantities:	5L		
Packagings & IBCs - Packing Instruction:	P001, IBC03, LP01		
Packagings & IBCs - Special Packing Provisions: PP1			

Page 5/6

according to WHS Regulations

TP1, TP29

Printing date 15.06.2024

Product Name: ProForce Recruit 200 SC Insecticide

Portable Tanks & Bulk Containers - Instructions: T4

Portable Tanks & Bulk Containers - Special Provisions:

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 56-81-5 Glycerol

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 15.06.2024

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LCtethal concentration, 50 percent

LD tethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term (Chronic). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Indigo Specialty Products makes no representation of the accuracy or comprehensiveness of the

information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Revision: 15.06.2024

(Contd. of page 5)

Page 6/6

www.msds.com.au

13.00.2024