POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



HERBICIDE

ACTIVE CONSTITUENT: 300 g/L 2,4-D

SOLVENT: 259 g/L LIQUID HYDROCARBONS



For the integrated control of Groundsel Bush, Mother-of-Millions, Noogoora Burr, Bathurst Burr, Water Hyacinth and other weeds as listed in the Directions for Use table.

THIS IS A PHENOXY HERBICIDE THAT CAN CAUSE SEVERE DAMAGE TO NATIVE VEGETATION AND SUSCEPTIBLE CROPS SUCH AS COTTON, GRAPES, TOMATOES, OILSEED CROPS AND ORNAMENTALS.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT



Indigo Specialty Products Pty Ltd ABN 15 631 459 660 3/49 Donaldson Road, Rocklea QLD 4106 Ph: 0402 735 887

5 L



HERBICIDE

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if inhaled or swallowed. Will damage the eyes. Will irritate the skin. Avoid contact with the eyes and skin. Avoid inhaling vapour. When opening the container and preparing spray or using undiluted concentrate, wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length chemical resistant gloves and face shield or goggles. When using the prepared spray, wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length chemical resistant gloves. If applying by hand wear half facepiece respirator with organic vapour/gas cartridge or canister. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, respirator and if rubber wash with detergent and warm water. face shield or goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 13 11 26, New Zealand 0800 764 766. If swallowed, do NOT induce vomiting.

SAFETY DATA SHEET

Additional information is listed in the safety data sheet (SDS). A safety data sheet for ProForce SCUBA 300 Herbicide is available from Indigo Specialty Products Pty Ltd on request.

CONDITIONS OF SALE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of the product contrary to label instructions, or under off-label permits not endorsed by Indigo Specialty Products Pty Ltd or under abnormal conditions. Indigo Specialty Products Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



IN A TRANSPORT EMERGENCY

Date: 25/02/2025

POLICE OR FIRE BRIGADE

SPECIALIST ADVICE IN AN EMERGENCY ONLY

0417 653 654

ALL HOURS - AUSTRALIA WIDE



Batch No.

Date of Manufacture

APVMA Approval No.: 95228/146407

cuba 300

DIRECTIONS FOR USE

RESTRAINTS

DO NOT exceed maximum application rate of 15 L/ha (4500 g ae/ha).

DO NOT exceed the maximum daily application rate by backpack spraying of 13.3 L/day.

Additional USAGE restrictions apply in some crops, states and seasons, see restriction table 1.

REMOVE aquatic weeds as much as possible through mechanical means.

DO NOT apply to bodies of water where weed infestations do not exist.

DO NOT treat more than 50% of the total surface area at any one time.

DO NOT treat areas of the same water body for at least 7 days after previous treatments.

DO NOT treat to the point of runoff.

DO NOT apply directly to water, direct spray onto aquatic weeds.

To the extent possible, only treat plants in water bodies greater than 1m deep.

SPRAY DRIFT RESTRAINTS

DO NOT apply by a vertical sprayer.

DO NOT apply by a boom sprayer.

Specific definitions for terms used in this section of the label can be found at www.apvma.gov.au/spraydrift

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone tables below provide guidance but may not be sufficient in all situations. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply unless the wind speed is between 3 and 15 kilometres per hour at the application site during the time of application.

DO NOT apply if there are surface temperature inversion conditions present at the application site during the time of application. These conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise

DO NOT apply by aircraft unless the following requirements are met:

- For application by helicopter only, not for application by fixed-wing aircraft.
- Spray droplets are no smaller than a VERY COARSE spray droplet size category
- For maximum release heights above the target canopy of 3 m or 25% of wingspan or 25% of rotor diameter whichever is the greatest, minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titled 'Buffer zones for aircraft') are observed.

Buffer zones for aircraft

Application rate	Type of aircraft	Mandatory downwind buffer zones				
		Bystander areas	Natural aquatic areas	Pollinator areas	Vegetation areas	ivestock areas
Up to 10 L/ha	Helicopter	0	250 metres	0	240 metres	0
Up to 5 L/ha	Helicopter]	160 metres]	150 metres]

incorrect storage, handling or use. Pty Ltd accepts no liability for any loss or damage arising from Ltd or under abnormal conditions. Indigo Specialty Products off-label permits not endorsed by Indigo Specialty Products Pty the use of the product contrary to label instructions, or under fitness for a particular purpose, express or implied, extends to than non-excludable statutory warranties) of merchantability or directions under normal conditions of use. No warranty (other the purposes stated on the label when used in accordance with conforms to its chemical description and is reasonably fit for CONDITIONS OF SALE: Seller warrants that the product

available from Indigo Specialty Products Pty Ltd on request. A safety data sheet for ProForce SCUBA 300 Herbicide is Additional information is listed in the safety data sheet (SDS).

SAFETY DATA SHEET

If swallowed, do NOT induce vomiting. Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If poisoning occurs, contact a doctor or Poisons Information **GIA T2817**

contaminated clothing.

with detergent and warm water, face shield or goggles and each day's use, wash gloves, respirator and if rubber wash hands, arms and face thoroughly with soap and water. After water. After use and before eating, drinking or smoking wash and water. If product in eyes, wash it out immediately with

equipment. Close all valves and return to point of supply for For refillable containers empty contents fully into application product.

government regulations. Do not burn empty containers or tree roots, in compliance with relevant local, state or territory for this purpose, clear of waterways, desirable vegetation and the surface in a disposal pit specifically marked and set up s not available, bury the empty packaging 500 mm below management facility. It an approved waste management facility puncture and deliver empty packaging to an approved waste or designated collection point. If not recycling, break, crush, or recycling, replace cap and return clean containers to recycler spray tank. Do not dispose of undiluted chemicals on site. If Triple-rinse containers before disposal. Add rinsings to

canister. If product on skin, immediately wash area with soap facepiece respirator with organic vapour/gas cartridge or chemical resistant gloves. If applying by hand wear half to the neck and wrist and a washable hat and elbow-length When using the prepared spray, wear cotton overalls buttoned length chemical resistant gloves and face shield or goggles. buttoned to the neck and wrist and a washable hat, elbowsbray or using undiluted concentrate, wear cotton overalls inhaling vapour. When opening the container and preparing irritate the skin. Avoid contact with the eyes and skin. Avoid Harmful if inhaled or swallowed. Will damage the eyes. Will SAFETY DIRECTIONS

Rocklea QLD 4106

PORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE CONTAINER. AD THOROUGHLY BEFORE OPENING OR USING THIS PRODUCT.

OF CHILDREN IONS BEFORE OPENING OR USING

POISON

CTIVE CONSTITUENT: 300 g/L 2,4-D
DLVENT: 259 g/L LIQUID HYDROCARBONS HERBICIDE ERBICIDE GROUP 4.

TIMING AND USAGE RESTRICTION APPENDICES

Table 1: Application and timing restrictions for application to pastures DO NOT apply above maximum rate (L/ha) below OR label rate, whichever is LOWEST

Pastures	State	Summer	Autumn	Winter	Spring
(prior to sowing, conservation tillage)	Queensland & NT	11	11	11	11
	New South Wales & ACT	11	11	11	11
	Victoria	1.2	3.5	11	3.5
	Tasmania	1.2	2.6	7.4	3.5
	South Australia	2.4	3.5	11	7.4
	Western Australia	3.5	7.4	11	7.4

Pastures (established)	State	Summer	Autumn	Winter	Spring
	Queensland & NT	15	15	15	15
	New South Wales & ACT	15	15	15	15
	Victoria	2.0	4.0	15	7.5
	Tasmania	1.4	3.5	11	6.6
	South Australia	3.0	6.6	15	11
	Western Australia	7.5	11	15	11

SITUATION	WEEDS CONTROLLED	STATE	RATE/ha	CRITICAL COMMENTS
Non-Crop and	Groundsel Bush	Qld, NSW	10 L/ha	Helicopter application. Raindrop D8 nozzles
Pasture		only		angles back at 45° to minimise spray drift. Apply in no less than 100 L/ha.
			100 mL/10 L	Knapsack spray. Thorough and even coverage of
			water	the plant is necessary.
			1 L/10 L	Sprinkler sprayer. Coverage: 1 L spray solu-
			water	tion/100 m ²
			33 mL/L	Basal bark spray: Apply the mixture around the
			kerosene or mineral	base of the stem to a height of 25 cm above the ground.
			turpentine	Make sure all the stem to this height is well wetted.
				Cut stump: Cut the stem as close to the ground as
				possible and thoroughly wet the fresh cut stem with
	NA. II C NATIP	-	70	the mixture
	Mother-of-Millions		70 mL/10 L water	Knapsack Spray. Thorough even coverage of leaves and plantlets is necessary.
			7 L/1000 L	Hand Gun. Thorough even coverage of leaves and
			water	plantlets is necessary.
	Noogoora Burr, Bathurst Burr		3.3 L/ha	Helicopter application or sprinkler sprayer.
	Castor Oil Plant Qld only		1 L/10 L	Apply as a basal bark treatment.
	0.1	-	kerosene	
	Galvanised Burr, Chinese Celtis (Elm) seedlings		1 L/100 water	Apply as an overall spray on young plants when actively growing.
	Wild Tobacco Tree	<u> </u>	1 L/40 L	Apply as a cut stump or basal bark when plant
	Wild Tobacco free		kerosene	actively growing.
	Balloon Cotton, Datura	-	7 L/1000 L	Apply as an overall spray when plants actively
	(seedlings), Sida Retusa,		water	growing.
	Creeping Lantana, Aaeratum			
	spp. Fireweed Saffron Thistle		1 L/100 L	Apply as an everall enroy when plents actively
	Sanron misue		water	Apply as an overall spray when plants actively growing.
			water	growing.

area. Do not store for prolonged periods in direct sunlight. Store in the closed, original container in a cool, well-ventilated STORAGE AND DISPOSAL

or watercourses with the chemical or used container. Very toxic to aquatic life. DO NOT contaminate streams, rivers **ENVIRONMENT**

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND

as cotton, tobacco, tomatoes, vines, lupins, fruit trees and spray drift and vapour movement onto susceptible crops such susceptible plants/crops, cropping lands or pastures. Avoid equipment, that may cause spray to drift onto nearby DO NOT apply under weather conditions, or from spraying **STNAJ9**

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET

footwear. Clothing must be laundered after each day's use. should wear overalls, elbow-length gloves and water-resistant lf re-entering treated areas before the spray has dried, workers

RE-ENTRY PERIOD **PRECAUTION**

SCUBA 300 to control resistant weeds. no liability for any losses that may result from the failure of to detect prior to use, Indigo Specialty Products Pty Ltd accepts herbicides. Since the occurrence of resistant weeds is difficult weeds will not be controlled by SCUBA 300 or other Group 4 if these herbicides are used repeatedly. These resistant individuals can eventually dominate the weed population genetic variability in any weed population. The resistant 300 and other Group 4 herbicides may exist through normal Some naturally-occurring weed biotypes resistant to SCUBA resistance management SCUBA 300 is a Group 4 herbicide. Disruptors of plant cell growth mode of action. For weed of the Phenoxy group of herbicides. SCUBA 300 has the

GROUP 2 HERBICIDE

Herbicide is a member ProForce SCUBA 300 RESISTANT WEEDS WARNING

Integrated Pest Management Programs (IPM). Compatible with biological control agents and can be used in *YTIJIBILITY*

solution of ammonia, followed by several clear water rinses. unless it has been well washed out with hot soapy water or 1% used tor the application of other materials to sensitive plants, Equipment that has been used for this chemical should not be

EQUIPMENT MAINTENANCE AND USE

Statements, Safety Directions and First Aid Instructions. Before opening, carefully read Directions for use, Precautionary GENERAL INSTRUCTIONS

SITUATION	WEEDS CONTROLLED	STATE	RATE/ha	CRITICAL COMMENTS
Waterways,	Water Hyacinth, Water Lettuce	NSW, Qld,	50 mL/10 L	Knapsack spray. Coverage: 10 L spray solu-
non-potable		WA, NT	water	tion/100 m2. Avoid causing submersion of sprayed
water, drains,		only		plants.
dam margins,			1 L/200 L	Hand gun. Coverage: 200 L Spray solution/1000
lakes &			water	m2. Avoid causing submersion of sprayed plants.
streams			1 L/20 L	Sprinkler sprayer. Coverage: 20 L spray solu-
			water	tion/1000 m ²
			5 L/200 L	Helicopter application. Raindrop D8 nozzles
			water/ha	angled back at 45° to minimise spray drift.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS **AUTHORISED UNDER APPROPRIATE LEGISLATION.**

WITHHOLDING PERIOD (WHP): DO NOT GRAZE OR CUT FOR STOCK FOOD FOR 7 DAYS AFTER APPLICATION.

Indigo Specialty Products ABN 15 631 459 660 3/49 Donaldson Road, Rocklea QLD 4106 Ph: 0402 735 887

APVMA Approval No.: 95228/146407